# Making Twitter Suck Less With Perl

Speak Perl to your favorite  $\mu$ blogging service

#### What sucks?

- Tag spam (#omg #its #hashtags #allthewaydown)
- Worms (StalkDaily)
- SEO crazies
- Marketing bots
- Skeezy webapps that steal your credentials
- Interesting tweets buried in a sea of nonsense

## What sucks, but ain't Twitter's fault?

- Following annoying people
- Having boring friends
- Twittershitters







#### Net::Twitter

- Uses Moose
- Works with Twitter and Identi.ca
- REST, Search and Twittervision API support
- OAuth and Basic Authentication
- 1 to 1 mapping with API
- Net::Twitter::Lite
  - Fewer Dependencies
  - Same great taste

#### Net::Twitter Basic Use

```
my $nt = Net::Twitter->new({
             username => $user.
             password => $pass,
             traits => [qw/API::REST/],
          }):
my $mv_t1
             = $nt->user_timeline({count=>5});
my $buddy_tl = $nt->user_timeline({
                    screen_name => $buddy
                }):
$nt->update('Perl rocks!');
$nt->new_direct_message($buddy,$tweet);
$nt->follow_new($cool_tweep);
$nt->unfollow($seo_guy);
```

Net::PingFM

### WWW::ItsABot

## Twitter::TagGrep

## Log:: Dispatch:: Twitter

### Twitter $\sim$ Collective Being



Amazing applications wait to be written Next Killer App?